

Australian/New Zealand Standard™

Occupational noise management

Part 3: Hearing protector program

AS/NZS 1269.3:2005

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee AV-003, Acoustics, Human Effects. It was approved on behalf of the Council of Standards Australia on 27 January 2005 and on behalf of the Council of Standards New Zealand on 11 February 2005.
This Standard was published on 6 April 2005.

The following are represented on Committee AV-003:

Association of Australian Acoustical Consultants
Association of Consulting Engineers Australia
Australian Acoustical Society
Australian Chamber of Commerce and Industry
Australian Hearing
Department of Consumer & Employment Protection, WorkSafe Division, W.A.
Department of Labour, New Zealand
N.S.W. Rural Fire Service
New South Wales Nurses Association
New Zealand Audiological Society
Royal Institution of Naval Architects
Safety Institute of Australia (Incorporated)
Victorian WorkCover Authority
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 04037.

Australian/New Zealand Standard™

Occupational noise management

Part 3: Hearing protector program

Originated in Australia as part of AS 1269—1976.
Previous edition AS/NZS 1269.3:1998.
Second edition 2005.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 6550 5

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AV-003, Acoustics, Human Effects to supersede, AS/NZS 1269.3:1998, *Occupational noise management, Part 3: Hearing protector program*.

This is Part 3 in a series of Standards as follows:

AS/NZS

1269	Occupational noise management
1269.0	Part 0: Overview and general requirements
1269.1	Part 1: Measurement and assessment of noise immission and exposure
1269.2	Part 2: Noise control management
1269.3	Part 3: Hearing protector program (this Standard)
1269.4	Part 4: Auditory assessment

The objective of this series of Standards is to provide requirements and guidance on all facets of occupational noise management. It is recommended that the reader refer to all Parts of AS/NZS 1269 to better understand all relevant terminology and objectives of occupational noise management.

The objective of this Part is to give requirements and guidance to people who supply, purchase or wear hearing protectors and to encourage the use of effective criteria in their selection, use, care and maintenance.

The objective of this revision is to confirm the existing Standard with a few minor changes.

Hearing protectors are items of personal protection which, as a result of their sound attenuation properties, reduce the effects of noise on hearing in order to avoid hearing damage. In order that the protection offered by hearing protectors be effectively realized, hearing protectors should be used all the time that the user is in a potentially excessive noise environment. In the selection of hearing protectors, attention is therefore drawn to the importance of considering factors which may influence comfort and acceptance.

In occupational noise management programs, measures other than personal hearing protection such as the identification of noise areas, and the assessment of personal noise exposure and noise control, require attention as priorities.

In the preparation of this document cognizance was taken of EN 458, *Hearing protectors—Recommendations for the selection, use, care and maintenance*.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 REFERENCED DOCUMENTS.....	4
3 DEFINITIONS.....	4
4 MANAGEMENT RESPONSIBILITY	5
5 HEARING PROTECTORS.....	6
6 SELECTION OF HEARING PROTECTORS.....	8
7 ISSUE AND FITTING OF HEARING PROTECTORS	12
8 CLEANING AND MAINTENANCE	13
9 INSPECTION FOR DEFECTS.....	14
10 HEARING PROTECTOR AREAS	16
11 ENSURING THE CONTINUED EFFECTIVENESS OF THE HEARING PROTECTOR PROGRAM.....	16
12 TRAINING IN THE USE OF HEARING PROTECTORS	17
13 AUDIOMETRY AND THE PURPOSE OF AUDIOMETRIC TEST RESULTS.....	18
APPENDICES	
A METHODS OF SELECTING A HEARING PROTECTOR WHEN $L_{Aeq,8h}$ EXCEEDS $L(crit)_{Aeq,8h}$	19
B METHOD FOR SELECTING A HEARING PROTECTOR WHEN L_{peak} EXCEEDS $L(crit)_{peak}$	23
C HEADBAND CLAMP FORCE COMPARISON.....	24
D TRAINING PROGRAM FOR THE SELECTION, USE AND MAINTENANCE OF HEARING PROTECTORS.....	26
E CLASSIFICATION OF HEARING PROTECTORS	29
F BIBLIOGRAPHY.....	30

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Occupational noise management

Part 3: Hearing protector program

1 SCOPE

This Standard specifies—

- (a) the administrative responsibilities associated with a hearing protector program;
- (b) the selection, use and maintenance of various types of hearing protectors; and
- (c) training and motivation in regard to hearing protector programs.

It excludes the setting of occupational noise criteria. Such criteria are set by regulations or organizational policy, not by Standards Australia or Standards New Zealand. Exposure standards may be found in the occupational health and safety or related regulations that are applicable for the workplace under assessment. Criteria lower than these exposure standards may be set by the organization's noise policy.

2 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

1319 Safety signs for the occupational environment

AS/NZS

1269 Occupational noise management

1269.0 Part 0: Overview and general requirements

1269.1 Part 1: Measurement and assessment of noise immission and exposure

1269.2 Part 2: Noise control management

1269.4 Part 4: Auditory assessment

1270 Acoustics—Hearing protectors

NOHSC

Worksafe Australia, *Noise Management at Work—Control Guide*, 2nd Edition. Sydney, National Occupational Health and Safety Commission, 1991.

3 DEFINITIONS

For the purpose of this Standard, the definitions given in AS/NZS 1269.0, AS/NZS 1269.1 and those below apply.

3.1 Care

The day-to-day attention given by the wearer to the protector.

3.2 Criterion eight-hour equivalent continuous A-weighted sound pressure level, $L(\text{crit})_{\text{Aeq,8h}}$

The eight-hour equivalent continuous A-weighted sound pressure level above which the provision of hearing protectors is required by legislation or by the organization's noise policy, whichever is the lower.



SAI GLOBAL

This is a free 6 page sample. Access the full version online.

The remainder of this document
is available for purchase online at

www.saiglobal.com/shop

SAI Global also carries a wide range of publications from a wide variety of Standards Publishers:



Click on the logos to search the database online.