

AS 3861—1991

Australian Standard[®]

Spa baths

This Australian Standard was prepared by Committee WS/3, Sanitary Plumbing Fixtures. It was approved on behalf of the Council of Standards Australia on 25 September 1990 and published on 11 February 1991.

The following interests are represented on Committee WS/3:

Swimming Pool and Spa Association of Australia (SPASA)

Additional interests participating in preparation of Standard:

Water Bard, Sydney

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto. Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 90022..

AS 3861—1991

Australian Standard[®]

Spa baths

First published as AS 3861—1991.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 6599 3

PREFACE

This Standard was prepared by the Standards Australia Committee on Sanitary Plumbing Fixtures at the request of Swimming Pool and Spa Association of Australia (SPASA). The Standard includes requirements for spa bath design, manufacture and assembly of equipment with relevant safety precautions.

CONTENTS

	<i>Page</i>
1 SCOPE	3
2 REFERENCED DOCUMENTS	3
3 DEFINITIONS	3
4 DESIGN	4
5 TOXICITY	5
6 MATERIALS AND WORKMANSHIP	5
7 SURFACE FINISH	5
8 MARKING	5
APPENDICES	
A LABELLING	6
B EQUIPMENT INSTALLATION	7
C INSTALLATION REQUIREMENTS	9

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for any royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS AUSTRALIA

Australian Standard

Spa baths

1 SCOPE This Standard specifies requirements for materials, manufacture, finish and installation of spa baths. The bath shall comply with AS 2023 and recirculatory system and accessories according to this Standard.

2 REFERENCED DOCUMENTS

AS

- 1159 Polyethylene pipes for pressure applications
- 1477 Unplasticized PVC (UPVC) pipes and fittings for pressure applications
- 1589 Copper and copper alloy waste fittings
- 2023 Baths for ablutionary purposes
- 2887 Plastics waste fittings
- 3000 SAA Wiring Rules
- 3500 National plumbing and drainage code
- 3500.0 Part 0: Glossary of terms

BS

- 5391 Specification for acrylonitrile-butadienestyrene (ABS) pressure pipe
Part 1: Pipe for industrial uses
- 5392 Specification for acrylonitrile-butadienestyrene (ABS) fittings for use with ABS pressure pipe
Part 1: Fittings for use with pipe for industrial uses

3 DEFINITIONS For the purpose of this Standard, the definitions given in AS 3500.0 and those below apply.

3.1 Air blower—a mechanical means by which air is forcibly introduced into either the air-injection or the recirculatory system.

3.2 Air-injection system—a system whereby air is introduced into the spa bath, separate from the recirculatory system.

3.3 Air-injection nozzle—a fitting incorporating a non-return valve through which air is forcibly introduced to the bath.

3.4 Air line—both-

- (a) rigid pipe connecting jet fittings to air venturi control and, if required, flexible pipe, adjacent to and connecting air control to rigid air line; and
- (b) flexible pipe connecting air manifold and air nozzles or blower.

3.5 Air manifolds—a separate chamber to which are attached air lines to feed air to the air-injection nozzle.

3.6 Air switch—a fitting used to activate equipment via the use of a pressure pulse.

3.7 Heater—air—a heating device fitted in the air-injection system.

3.8 Heater—water—a heating device fitting in the recirculatory system, which can be used to maintain, increase or otherwise control water temperature.

3.9 Hot pump—a pump with incorporated heating device.

3.10 Jet fittings—a fitting which blends air and water creating and directing a stream of water or air-entrained water.

3.11 Normal operating water level—the water level, generally assumed to be 50 mm above top of jet fitting.

3.12 Pinching hazard—any configuration of components that would pinch or entrap the fingers or toes of a child or adult.



SAI GLOBAL

This is a free 5 page sample. Access the full version online.

The remainder of this document
is available for purchase online at

www.saiglobal.com/shop

SAI Global also carries a wide range of publications from a wide variety of Standards Publishers:



SAI GLOBAL



Click on the logos to search the database online.