Australian/New Zealand Standard™

LP Gas fuel systems for vehicle engines





### AS/NZS 1425:2003

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee ME-046, Gas Fuel Systems for Vehicle Engines. It was approved on behalf of the Council of Standards Australia on 22 October 2003 and on behalf of the Council of Standards New Zealand on 12 November 2003. It was published on 11 December 2003.

The following are represented on Committee ME-046:

Australian Automobile Association Australian Chamber of Commerce and Industry Australian Industrial Truck Association Australian Liquefied Petroleum Gas Association Box Hill Institute of TAFE Department for Administrative and Information Services, S.A. Department of Natural Resources and Mines, Qld Department of Urban Services, A.C.T. Energy Safety, W.A. Federal Chamber of Automotive Industries Gas Association of New Zealand Institution of Engineers, Australia Land Transport Safety Authority, New Zealand LPG Association of New Zealand Motor Trade Association, New Zealand Motor Traders Association of N.S.W. Motor Trades Association of Australia The Australian Gas Association Transport, S.A. TAFE N.S.W. Victorian Police WorkCover N.S.W. Work Health Authority, N.T.

# Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at <a href="https://www.standards.com.au">www.standards.com.au</a> or Standards New Zealand web site at <a href="https://www.standards.co.nz">www.standards.co.nz</a> and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

# Australian/New Zealand Standard™

# LP Gas fuel systems for vehicle engines

Originated as AS 1425—1973. Previous edition AS/NZS 1425:1999. Sixth edition 2003.

# **COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

# This is a free 8 page sample. Access the full version online.

# **PREFACE**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME-046, Gas Fuel Systems for Vehicle Engines, to supersede AS/NZS 1425:1999.

The first edition of this Standard, published in 1973, was derived in the main from NFPA 58. A revision in 1979 introduced compartments and sub-compartments to control random leakage, required external filling points, and upgraded the strength of mountings, amongst other things. The first amendment in October 1980 introduced automatic fill limiters, and the second in 1981 virtually eliminated the hydrostatic relief valve.

The 1982 edition was generally a consolidation, in which editorial presentation was improved and a number of adjustments of detail occurred, the most significant of which was that attempts to make the excess flow valve more sensitive were abandoned in the face of experience with inadvertent shut-off of fuel to the engine. Amendment 1 of May 1984 corrected and clarified minor detail. Amendment 2 of December 1985, besides further polishing detail, upgraded a number of requirements related to the security of a container and its fittings in a collision.

Amendment 3 of July 1987 permitted safety valves to discharge into a sub-compartment or compartment. This represented a major reversal of the previous policy of insistence on piping such discharges to exit vertically outside the vehicle.

The 1989 edition of the Standard incorporated changes to the requirements for fixed liquid level gauges, sizing of ventilation ducts and their construction materials, heat shielding and the referencing of AS 3509—1988, *LP gas fuel vessels for automotive use*.

The 1999 edition was a Joint Standards Australia/Standards New Zealand edition and the layout and content of sections were restructured to facilitate easy referencing with the grouping of all material on a subject in the one location.

In this edition, amendments which followed the 1999 edition and other editorial corrections have been incorporated. This edition introduces clauses related to the installation of fuel injection systems, the decommissioning of redundant LP Gas fuel systems, medium pressure hose up to 450 kPa and an Appendix relating to exhaust emission testing.

The 2003 edition of the Standard incorporates descriptive procedures for providing assurance of compliance with exhaust emission standards. Incorporated are requirements for certified kits to meet exhaust emission standards. Appendix D outlines requirements for testing vehicles, manufactured under ADR 79/00, ADR 79/01, ADR 70/00, ADR 80/00 and ADR 80/01. In relation to ADR 79/01 vehicles, the committee will examine the need for further testing requirements for providing assurance of compliance prior to 2005.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

# This is a free 8 page sample. Access the full version online.

# CONTENTS

		Page
SECTIO	ON 1 SCOPE AND GENERAL	
1.1	SCOPE AND APPLICATION	6
1.1	OBJECTIVE	
1.3	REFERENCED DOCUMENTS	
1.4	NEW DESIGNS AND INNOVATIONS	
1.5	DEFINITIONS	
1.6	VEHICLE MODIFICATIONS	
1.7	MINOR ALTERATIONS	
1.8	ENGINE MANAGEMENT SYSTEM	
1.9	APPROVED EQUIPMENT	
1.10	PREVIOUSLY USED EQUIPMENT	
1.11	LP GAS WITHDRAWAL FROM AUTOMOTIVE SYSTEMS	
1.12		
1.13		
1.14		
SECTIO	ON 2 COMPONENTS	
2.1	GENERAL SUITABILITY	
2.2	MOVING PARTS	
2.3	SUITABILITY FOR INSTALLATION	13
2.4	MODIFICATION	
2.5	METALS	14
2.6	NON-METALS	14
SECTIO		
3.1	APPLICATION	
3.2	CONTAINER	
3.3	COMPONENTS FOR FIXED CONTAINERS	
3.4	COMPONENTS FOR REMOVABLE CONTAINERS	
3.5	COMPONENT SUITABILITY	
3.6	FILLING CONNECTION	
3.7	FILLER NON-RETURN VALVE SYSTEM	
3.8	AUTOMATIC FILL LIMITER (AFL)	
3.9	FIXED LIQUID LEVEL GAUGE	
3.10	CONTENTS GAUGE	
3.11	EXCESS-FLOW VALVE	
3.12	SERVICE VALVE	
	AUTOMATIC FUEL SHUT-OFF DEVICE AT CONTAINER	
	FUEL FILTER	
3.15	SAFETY VALVE	
3.16	LOCATION OF CONTAINER COMPONENTS	
3.17	COMPARTMENTS AND SUB-COMPARTMENTS	
3.18	MOUNTING OF FUEL CONTAINER	
3.19	,	
3.20	PROTECTION	
3.21	HEAT SHIELDING	
3.22	SUITABILITY FOR HAZARDOUS ZONES	30

Page

SECTIO	ON 4 FUEL SERVICE LINE	
4.1	APPLICATION	31
4.2	RIGID PIPING	
4.3	FLEXIBLE PIPING (HOSE AND HOSE ASSEMBLY)	
4.4	JOINTS AND CONNECTIONS	
4.5	INSTALLATION AND PROTECTION	
4.6	PIPING OR FITTINGS IN ENCLOSED SPACES	
4.7	MULTIPLE CONTAINER INSTALLATIONS	33
4.8	HYDROSTATIC RELIEF VALVE	
4.9	TRAILERS AND SEMITRAILERS	
4.10	PREVIOUSLY USED EQUIPMENT	
4.11	LP GAS FUEL PIPING FOR PRESSURE NOT EXCEEDING 100 kPa	34
	LP GAS FUEL PIPING FOR PRESSURE NOT EXCEEDING 450 kPa	
SECTIO	ON 5 FUEL CONTROL EQUIPMENT	
5.1	APPLICATION	35
5.2	FUEL FILTER	35
5.3	AUTOMATIC FUEL SHUT-OFF DEVICE AT REGULATOR	35
5.4	VAPORIZER	36
5.5	REGULATOR	36
5.6	INSTALLATION OF VAPORIZER AND REGULATOR	36
5.7	LP GAS FUEL INJECTOR OR OTHER GAS METERING DEVICE	36
5.8	GAS-AIR MIXER	36
5.9	FUEL SELECTOR	37
5.10	PETROL SYSTEM MODIFICATIONS	37
5.11	ELECTRICAL WIRING	38
5.12	ENGINE MANAGEMENT SYSTEM	38
SECTIO	ON 6 INSPECTION TESTING AND COMMISSIONING	
6.1	APPLICATION	39
6.2	USED EQUIPMENT	39
6.3	MODIFICATIONS AND REPAIRS	39
6.4	PRECAUTIONS	39
6.5	INSPECTION	40
6.6	LEAK DETECTION	40
6.7	CONTAINER SUB-ASSEMBLY LEAK TEST	40
6.8	INSTALLATION TEST	41
6.9	PERIODIC INSPECTION	42
6.10	EXCESS FLOW VALVE TEST	44
6.11	NON-RETURN VALVE TEST	45
	AUTOMATIC FILL LIMITER TEST	
6.13	TESTING OF AUTOMATIC FUEL SHUT-OFF DEVICE	45
SECTIO	ON 7 CERTIFICATION, COMPLIANCE PLATE, MARKINGS AND LABELS	
7.1	APPLICATION	46
7.2	CERTIFICATION	46
7.3	COMPLIANCE PLATE	46
7.4	LABELS AND MARKINGS	47
7.5	ODED ATDIC DICTRICATIONS	4.0

		Page
APPEN	DICES	
A	LIST OF REFERENCED DOCUMENTS	49
В	REGULATING AGENCY INFORMATION	51
C	LEAK DETECTION METHODS	54
D	PROCEDURES FOR DEMONSTRATING COMPLIANCE WITH EXHAUST	
	EMISSION STANDARDS	56

# STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

# Australian/New Zealand Standard LP Gas fuel systems for vehicle engines

# SECTION 1 SCOPE AND GENERAL

# 1.1 SCOPE AND APPLICATION

# 1.1.1 Scope

This Standard specifies requirements for liquefied petroleum gas (LP Gas) fuel systems for engines mounted on motor vehicles, either for the propulsion of the vehicles or for driving some auxiliary function, e.g. a mixer or a pump. It provides requirements for the design and construction of component parts, and for their installation in vehicles, and for tests, commissioning, and periodic inspection.

This Standard does not apply to forklifts, floor sweepers, polishers, tow tractors, elevating work platforms and industrial stationary engines and to other LP Gas usage, such as the gas supply system for appliances in caravans, mobile homes or for the propulsion of marine craft.

This Standard does not cover the areas where major structural modifications are to be carried out to the vehicle (major structural modifications are those not defined in Clause 1.6). Prior to commencement of such work, guidance should be sought from the vehicle manufacturer or a professional engineer who is experienced in the automotive disciplines.

# 1.1.2 Application

This Standard shall be read as defining the minimum requirements of acceptability.

The relevant authority having jurisdiction may determine the extent of application of this Standard.

## 1.2 OBJECTIVE

The objective of this Standard is to provide designers, manufacturers, installers and regulatory authorities with technical requirements for LP Gas fuel systems for vehicle engines so as to provide functional, safe installations.

# 1.3 REFERENCED DOCUMENTS

A list of the Standards referred to in this Standard is given in Appendix A.

# 1.4 NEW DESIGNS AND INNOVATIONS

Any alternative materials, equipment, designs, method of assembly or procedures, which do not comply with the specific requirements of this Standard, or are not mentioned in it, but which give equivalent results to those specified, may be acceptable. Under such conditions the regulatory authority can give advice on the procedure for approval.

# 1.5 DEFINITIONS

For the purpose of this Standard, the definitions below apply.



The remainder of this document is available for purchase online at

www.saiglobal.com/shop



















